SQL Assignment

title



All A+ Essays

The Best Among the Best Visit Us today

https://www.allaplusessays.com

: All A+ Essays



Use this script for the assignment. Please follow instructions as to what to turn in. USE MYSQL ONLY. # orderentrydbScript.sql# REV 3 Updated 05/15/2017 Added employee comm pct to employee name Theresa Beck# Script to build the Order Entry Database# Creates tables and inserts data for this





assignment# into an already open database.## Drop database if exists for a clean copyDrop database if exists orderentrydb;# Assumes student has created a database and activated it. # Create Database before you begin to populate dataCreate Database orderentrydb; Use orderentrydb; # Remove tables if





they already exist# Useful if it's not your first time trying this script DROP TABLE if exists ordline; Drop TABLE if exists OrderTBL; DROP TABLE if exists Customer; DROP TABLE if exists Employee; DROP TABLE if exists Product; # Create the Product Table CREATE TABLE Product(ProdNo





CHAR(8), ProdName VARCHAR(50) NOT NULL, ProdMfg varchar(20) NOT NULL, ProdQOH decimal(10,2), ProdPrice DECIMAL(12,2), ProdNextShipDate DATE, PRIMARY KEY (ProdNo)); # Put data into the Product Table INSERT INTO product(ProdNo, ProdName, ProdMfg, ProdQOH,







product(ProdNo, ProdName, ProdMfg, ProdQOH, ProdNextShipDate, ProdPrice)VALUES ('P1114590','R3000 Color Laser Printer','Connex',5,'2007-01-22',699.00); INSERT INTO product(ProdNo, ProdName, ProdMfg, ProdQOH, ProdNextShipDate, ProdPrice)VALUES ('P1412138','10 Foot Printer





Cable','Ethlite',100,null,12.00); INSERT INTO product(ProdNo, ProdName, ProdMfg, ProdQOH, ProdNextShipDate, ProdPrice)VALUES ('P1445671','8-Outlet Surge Protector','Intersafe',33,null,14.99); INSERT INTO product(ProdNo, ProdName, ProdMfg, ProdQOH, ProdNextShipDate, ProdPrice)VALUES ('P1556678','CVP





Ink Jet Color Printer', 'Connex', 8, '2007-01-22', 99.00); INSERT INTO product (ProdNo, ProdName, ProdMfg, ProdQOH, ProdNextShipDate, ProdPrice) VALUES ('P3455443', 'Color Ink Jet Cartridge', 'Connex', 24, '2007-01-22', 38.00); INSERT INTO product (ProdNo, ProdName, ProdMfg, ProdQOH, ProdNextShipDate,





ProdPrice)VALUES ('P6677900','Black Ink Jet Cartridge','Connex',44,null,25.69); INSERT INTO product(ProdNo, ProdName, ProdMfg, ProdQOH, ProdNextShipDate, ProdPrice)VALUES ('P9995676','Battery Back-up System','Cybercx',12,'2007-02-01',89.00); INSERT INTO product(ProdNo, ProdName, ProdMfg, ProdQOH,







VARCHAR(50) NOT NULL, SupEmpNo varCHAR(8)
REFERENCES Employee (SupEmpNo),
EmpCommRateDECIMAL(3,3), PRIMARY KEY
(EmpNo), UNIQUE(EmpEMail)); # Put data into the Employee
table INSERT INTO employee (EmpNo, EmpFirstName,
EmpLastName, EmpPhone, EmpEMail, SupEmpNo,
EmpCommRate)VALUES





('E9884325','Thomas','Johnson','(303) 556-9987','TJohnson@bigco.com',",0.05); INSERT INTO employee(EmpNo, EmpFirstName, EmpLastName, EmpPhone, EmpEMail, SupEmpNo, EmpCommRate)VALUES ('E8843211','Amy','Tang','(303) 556-4321','ATang@bigco.com','E9884325',0.04); INSERT INTO employee(EmpNo,





EmpFirstName, EmpLastName, EmpPhone, EmpEMail, SupEmpNo, EmpCommRate)VALUES ('E9345771','Colin','White','(303) 221-4453','CWhite@bigco.com','E9884325',0.04); INSERT INTO employee(EmpNo, EmpFirstName, EmpLastName, EmpPhone, EmpEMail, SupEmpNo, EmpCommRate)VALUES ('E1329594','Landi','Santos','(303)





789-1234','LSantos@bigco.com','E8843211',0.02); INSERT INTO employee(EmpNo, EmpFirstName, EmpLastName, EmpPhone, EmpEMail, SupEmpNo, EmpCommRate)VALUES ('E8544399','Joe','Jenkins','(303) 221-9875','JJenkins@bigco.com','E8843211',0.02); INSERT INTO employee(EmpNo, EmpFirstName, EmpLastName,







update employee commission rate for assignment 5.2 - change requested 12/3/2016 Update employee set empcommrate=0.01 where empno='E9973110' and empfirstname='Theresa'; # Create the Customer Table CREATE TABLE Customer (CustNo varCHAR(8), CustFirstName varchar(20) NOT NULL,





CustLastName varchar(30) NOT NULL, CustStreetvarchar(50), CustCityvarchar(30), CustStatevarCHAR(2), CustZipvarCHAR(10), CustBalDECIMAL(12,2), PRIMARY KEY (CustNo)); # Put data into the Customer table INSERT INTO customer (CustNo, CustFirstName, CustLastName, CustStreet, CustCity, CustState,






CustZip, CustBal) VALUES('C0954327','Sheri','Gordon','336 Hill St.','Littleton','C0','80129-5543',230.00); INSERT INTO customer(CustNo, CustFirstName, CustLastName, CustStreet, CustCity, CustState, CustZip, CustBal) VALUES('C1010398','Jim','Glussman','1432 E.





Ravenna', 'Denver', 'CO', '80111-0033', 200.00); INSERT INTO customer (CustNo, CustFirstName, CustLastName, CustStreet, CustCity, CustState, CustZip, CustBal) VALUES ('C2388597', 'Beth', 'Taylor', '2396 Rafter Rd', 'Seattle', 'WA', '98103-1121', 500.00); INSERT INTO customer (CustNo, CustFirstName, CustLastName,





All A+ Essays Your Preferred Academic Partner

Hey, we are here to answer to your questions. :-)

If you need A+ grade essays, post your questions on <u>allaplusessays.com</u> to nearly 50 active professional academic writers.

I guarantee that someone will attend to you within 5 minutes. :-)

Wanna Try? Click here: <u>allaplusessays.com</u>



Cir.','Monroe','WA','98013-1095',0.00); INSERT INTO customer(CustNo, CustFirstName, CustLastName, CustStreet, CustCity, CustState, CustZip, CustBal) VALUES('C8543321','Ron','Thompson','789 122nd St.','Renton','WA','98666-1289',85.00); INSERT INTO customer(CustNo, CustFirstName, CustLastName,





CustStreet, CustCity, CustState, CustZip,
CustBal) VALUES('C8574932','Wally','Jones','411 Webber
Ave.','Seattle','WA','98105-1093',1500.00); INSERT INTO
customer(CustNo, CustFirstName, CustLastName, CustStreet,
CustCity, CustState, CustZip,
CustBal) VALUES('C8654390','Candy','Kendall','456 Pine





St.','Seattle','WA','98105-3345',50.00); INSERT INTO customer(CustNo, CustFirstName, CustLastName, CustStreet, CustCity, CustState, CustZip, CustBal) VALUES('C9128574','Jerry','Wyatt','16212 123rd Ct.','Denver','CO','80222-0022',100.00); INSERT INTO customer(CustNo, CustFirstName, CustLastName,





CustStreet, CustCity, CustState, CustZip,
CustBal) VALUES('C9403348','Mike','Boren','642 Crest
Ave.','Englewood','CO','80113-5431',0.00); INSERT INTO
customer(CustNo, CustFirstName, CustLastName, CustStreet,
CustCity, CustState, CustZip,
CustBal) VALUES('C9432910','Larry','Styles','9825 S. Crest







CustStreet, CustCity, CustState, CustZip,
CustBal) VALUES('C9549302','Todd','Hayes','1400 NW
88th','Lynnwood','WA','98036-2244',0.00); INSERT INTO
customer(CustNo, CustFirstName, CustLastName, CustStreet,
CustCity, CustState, CustZip,
CustBal) VALUES('C9857432','Homer','Wells','123 Main





St.','Seattle','WA','98105-4322',500.00); INSERT INTO customer(CustNo, CustFirstName, CustLastName, CustStreet, CustCity, CustState, CustZip, CustBal) VALUES('C9865874','Mary','Hill','206 McCaffrey','Littleton','CO','80129-5543',150.00); INSERT INTO customer(CustNo, CustFirstName, CustLastName,






CustStreet, CustCity, CustState, CustZip,
CustBal) VALUES('C9943201','Harry','Sanders','1280 S. Hill
Rd.','Fife','WA','98222-2258',1000.00); # Create the OrderTbl
table CREATE TABLE OrderTbl(OrdNo varchar(8), OrdDate
DATE NOT NULL,CustNo varchar(8) NOT NULL
REFERENCES





Customer(custNo), EmpNo varchar(8) REFERENCES Employee (EmpNo), OrdName varchar(50), OrdStreet varchar(50), OrdCity varchar(30), OrdState varchar(2), OrdZip varchar(10),PRIMARY KEY (OrdNo)); # Put data into the OrderTbl table INSERT INTO





All A+ Essays Your Preferred Academic Partner

Hey, we are here to answer to your questions. :-)

If you need A+ grade essays, post your questions on <u>allaplusessays.com</u> to nearly 50 active professional academic writers.

I guarantee that someone will attend to you within 5 minutes. :-)

Wanna Try? Click here: <u>allaplusessays.com</u>



OrdZip)VALUES ('01231231','2007-01-23','C9432910','E9954302','Larry Styles','9825 S. Crest Lane','Bellevue','WA','98104-2211'); INSERT INTO ordertbl(OrdNo, OrdDate, CustNo, EmpNo, OrdName, OrdStreet, OrdCity, OrdState, OrdZip)VALUES ('01241518','2007-02-10','C9549302',",'Todd Hayes','1400 NW





88th','Lynnwood','WA','98036-2244'); INSERT INTO ordertbl(OrdNo, OrdDate, CustNo, EmpNo, OrdName, OrdStreet, OrdCity, OrdState, OrdZip)VALUES ('01455122','2007-01-09','C8574932','E9345771','Wally Jones','411 Webber Ave.','Seattle','WA','98105-1093'); INSERT INTO ordertbl(OrdNo, OrdDate, CustNo,





EmpNo, OrdName, OrdStreet, OrdCity, OrdState, OrdZip)VALUES ('01579999','2007-01-05','C9543029','E8544399','Tom Johnson','1632 Ocean Dr.','Des Moines','WA','98222-1123'); INSERT INTO ordertbl(OrdNo, OrdDate, CustNo, EmpNo, OrdName, OrdStreet, OrdCity, OrdState, OrdZip)VALUES





('O1615141','2007-01-23','C8654390','E8544399','Candy Kendall','456 Pine St.','Seattle','WA','98105-3345'); INSERT INTO ordertbl(OrdNo, OrdDate, CustNo, EmpNo, OrdName, OrdStreet, OrdCity, OrdState, OrdZip)VALUES ('O1656777','2007-02-11','C8543321',",'Ron Thompson','789 122nd





"Get 30% Off !!

Get an A in that nagging essay for

only \$10/Page

All A+ Essays

Your Preferred

Academic Partner

Hey, we are here to answer to

your questions. :-)

If you need A+ grade essays, post your questions on <u>allaplusessays.com</u> to nearly 50 active professional academic writers.

I guarantee that someone will attend to you within 5 minutes. :-)

Wanna Try? Click here: allaplusessays.com



OrdName, OrdStreet, OrdCity, OrdState, OrdZip)VALUES ('02334661','2007-01-14','C0954327','E1329594','Mrs. Ruth Gordon','233 S. 166th','Seattle','WA','98011'); INSERT INTO ordertbl(OrdNo, OrdDate, CustNo, EmpNo, OrdName, OrdStreet, OrdCity, OrdState, OrdZip)VALUES





('O3252629','2007-01-23','C9403348','E9954302','Mike Boren','642 Crest Ave.','Englewood','CO','80113-5431'); INSERT INTO ordertbl(OrdNo, OrdDate, CustNo, EmpNo, OrdName, OrdStreet, OrdCity, OrdState, OrdZip)VALUES ('O3331222','2007-01-15','C1010398',",'Jim Glussman','1432 E.





Ravenna', 'Denver', 'CO', '80111-0033'); INSERT INTO ordertbl(OrdNo, OrdDate, CustNo, EmpNo, OrdName, OrdStreet, OrdCity, OrdState, OrdZip) VALUES ('03377543', '2007-01-15', 'C9128574', 'E8843211', 'Jerry Wyatt', '16212 123rd Ct.', 'Denver', 'CO', '80222-0022'); INSERT INTO ordertbl(OrdNo, OrdDate, CustNo,





EmpNo, OrdName, OrdStreet, OrdCity, OrdState, OrdZip)VALUES ('O4714645','2007-01-11','C2388597','E1329594','Beth Taylor','2396 Rafter Rd','Seattle','WA','98103-1121'); INSERT INTO ordertbl(OrdNo, OrdDate, CustNo, EmpNo, OrdName, OrdStreet, OrdCity, OrdState, OrdZip)VALUES







344th','Renton','WA','98006-5543'); INSERT INTO ordertbl(OrdNo, OrdDate, CustNo, EmpNo, OrdName, OrdStreet, OrdCity, OrdState, OrdZip)VALUES ('07847172','2007-01-23','C9943201',",'Harry Sanders','1280 S. Hill Rd.','Fife','WA','98222-2258'); INSERT INTO ordertbl(OrdNo, OrdDate, CustNo, EmpNo,





OrdName, OrdStreet, OrdCity, OrdState, OrdZip)VALUES ('07959898','2007-02-19','C8543321','E8544399','Ron Thompson','789 122nd St.','Renton','WA','98666-1289'); INSERT INTO ordertbl(OrdNo, OrdDate, CustNo, EmpNo, OrdName, OrdStreet, OrdCity, OrdState, OrdZip)VALUES





('O7989497','2007-01-16','C3499503','E9345771','Bob Mann','1190 Lorraine Cir.','Monroe','WA','98013-1095'); INSERT INTO ordertbl(OrdNo, OrdDate, CustNo, EmpNo, OrdName, OrdStreet, OrdCity, OrdState, OrdZip)VALUES ('O8979495','2007-01-23','C9865874',",'HelenSibley','206





McCaffrey','Renton','WA','98006-5543'); INSERT INTO ordertbl(OrdNo, OrdDate, CustNo, EmpNo, OrdName, OrdStreet, OrdCity, OrdState, OrdZip)VALUES ('09919699','2007-02-11','C9857432','E9954302','Homer Wells','123 Main St.','Seattle','WA','98105-4322'); # Create the OrdLine table CREATE TABLE OrdLine(





All A+ Essays Your Preferred Academic Partner

Hey, we are here to answer to your questions. :-)

If you need A+ grade essays, post your questions on <u>allaplusessays.com</u> to nearly 50 active professional academic writers.

I guarantee that someone will attend to you within 5 minutes. :-)

Wanna Try? Click here: <u>allaplusessays.com</u>



INTO ordline(OrdNo, ProdNo, Qty)VALUES('01116324','P1445671',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('01231231','P0036566',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('01231231','P1445671',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('01241518','P0036577',1); INSERT INTO




ordline(OrdNo, ProdNo, Qty)VALUES('01455122','P4200344',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('01579999','P1556678',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('01579999','P6677900',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('01579999','P9995676',1); INSERT INTO



ordline(OrdNo, ProdNo, Qty)VALUES('01615141','P0036566',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('01615141','P1445671',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('01615141','P4200344',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('01656777','P1445671',1); INSERT INTO



ordline(OrdNo, ProdNo, Qty)VALUES('01656777','P1556678',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('02233457','P0036577',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('02233457','P1445671',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('02334661','P0036566',1); INSERT INTO





Feeling Stuck? We Can Help

https://allaplusessays.com/

We will write a paper on your topic, specifically for you! Place your order via <u>allaplusessays.com/signup</u> and receive a 30% discount on each paper.



Global Access
We have access to all
online journal repositories



Access
Anytime
24/7 Support



Top Grade Papers
Minimum B+
Guaranteed



ordline(OrdNo, ProdNo, Qty)VALUES('03331222','P1412138',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('03331222','P1556678',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('03331222','P3455443',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('03377543','P1445671',1); INSERT INTO



ordline(OrdNo, ProdNo, Qty)VALUES('03377543','P9995676',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('04714645','P0036566',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('04714645','P9995676',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('05511365','P1412138',1); INSERT INTO



ordline(OrdNo, ProdNo, Qty)VALUES('05511365','P1445671',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('05511365','P1556678',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('05511365','P3455443',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('05511365','P6677900',1); INSERT INTO



ordline(OrdNo, ProdNo, Qty)VALUES('06565656','P0036566',10); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('07847172','P1556678',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('07847172','P6677900',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('07959898','P1412138',5); INSERT INTO





ordline(OrdNo, ProdNo, Qty)VALUES('07989497','P1412138',2); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('07989497','P1445671',3); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('08979495','P1114590',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('08979495','P1412138',1); INSERT INTO



ordline(OrdNo, ProdNo, Qty)VALUES('08979495','P1445671',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('09919699','P0036577',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('09919699','P1114590',1); INSERT INTO ordline(OrdNo, ProdNo, Qty)VALUES('09919699','P4200344',1); Attachments



assignment_5.2_-_sql_order_and_group_2175.pdf Question Field #Computer Science





All A+ Essays

The Best Among the Best Visit Us today

https://www.allaplusessays.com